

Annotated bird list, seen or heard, in or from, Oxley Creek Common. Hugh Possingham January 10th 2007 h.possingham@uq.edu.au (Draft)

(Species in italics have not yet been seen as far as I am aware, but are possible, Hugh Possingham 2007)

The % column is the frequency with which the species was recorded on a 100 minute by Hugh Possingham based on 35 visits - 2004-2006

The R column has a one for species that have been recorded

Comments reflect my own thoughts modified by comments from: DN - David Niland; MG - Mat and Cathy Gilfedder; MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; MB - Mike Bennett; PK - Pete Kyne

MEGAPODIDAE	Scientific name	%	R	Comments
Australian Brush-Turkey	<i>Alectura lathami</i>	6%	1	Possibly on the increase after tree planting, mulching. Nest building in Area 4 summer 2006
PHASIANIDAE				
Brown Quail	<i>Coturnix ypsilophora</i>	40%	1	All year, but easier to detect when calling in warmer months
ANSERANATIDAE				
Magpie Goose	<i>Anseranas semipalmata</i>	14%	1	Odd birds until spring 2006 when three birds turned up and successfully bred on Pelican lagoon
ANATIDAE				
Plumed Whistling-Duck	<i>Dendrocygna eytoni</i>	3%	1	30th Jan 2005, Jabiru swamp
<i>Wandering Whistling-Duck</i>	<i>Dendrocygna arcuata</i>			
Black Swan	<i>Cygnus atratus</i>	11%	1	Less common since salvinia started appearing on Pelican Lagoon
Australian Wood Duck	<i>Chenonetta jubata</i>	54%	1	Possibly increasing
<i>Cotton Pygmy-goose</i>	<i>Nettapus coromandelianus</i>			
Pacific Black Duck	<i>Anas superciliosa</i>	100%	1	From about two to twenty birds
Australasian Shoveler	<i>Anas rhynchotis</i>	0%	1	13/11/04 - 2 birds; 12/10/06 - 2 birds (MB) plus one other record
Grey Teal	<i>Anas gracilis</i>	71%	1	Up to 25 birds
Chestnut Teal	<i>Anas castanea</i>	0%	1	Pelican Lagoon, July 2004 (MB), specifically 4/7/04 - 2 birds, 5/7/04 - 5 birds, 17/7/04 2 birds, 18/7/04 - 4 birds (Absent in June and in August of July - MB)
<i>Pink-eared Duck</i>	<i>Malacorhynchus membranaceus</i>			
Hardhead	<i>Aythya australis</i>	37%	1	Mainly on Pelican Lagoon
PODICIPEDIDAE				
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	86%	1	Pelican Lagoon and Jabiru Swamp, only absent when salvinia covers lagoon
<i>Great Crested Grebe</i>	<i>Podiceps cristatus</i>			
ANHINGIDAE				
Darter	<i>Anhinga melanogaster</i>	37%	1	Oxley Creek and Pelican lagoon and occasionally flying over
PHALACROCORACIDAE				
Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	43%	1	
Pied Cormorant	<i>Phalacrocorax varius</i>	3%	1	One flying down Oxley creek 20th February 2005
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	66%	1	
Great Cormorant	<i>Phalacrocorax carbo</i>	23%	1	
PELECANIDAE				
Australian Pelican	<i>Pelecanus conspicillatus</i>	29%	1	Usually Pelican lagoon, but up to four on Jabiru Swamp
ARDEIDAE				
White-faced Heron	<i>Egretta novaehollandiae</i>	54%	1	Rarely more than one or two
Little Egret	<i>Egretta garzetta</i>	26%	1	Rarely more than one, usually Pelican lagoon
White-necked Heron	<i>Ardea pacifica</i>	6%	1	3rd July 2004, 21 Jun 2005, 8 Apr 2006, 26 Apr 2006, 3 May 2006, 22 May 2006, 12th June 2006, 8 Nov 2006, 28 Dec 2006. Area 12 and lagoons
Great Egret	<i>Ardea alba</i>	34%	1	Usually just one or two
Intermediate Egret	<i>Ardea intermedia</i>	71%	1	Usually a few, but can be more than ten
Cattle Egret	<i>Ardea ibis</i>	100%	1	Often ten or more, sometimes up to fifty
Striated Heron	<i>Butorides striatus</i>	9%	1	Along Oxley Creek
Nankeen Night Heron	<i>Nycticorax caledonicus</i>	31%	1	Most often roosting in giant bamboos on the other side of the creek opposite the Secret Forest
<i>Little Bittern</i>	<i>Ixobrychus minutus</i>			
<i>Black Bittern</i>	<i>Ixobrychus flavicollis</i>			
THRESKIORNITHIDAE				
Glossy Ibis	<i>Plegadis falcinellus</i>	34%	1	Usually one to six but up to twenty
Australian White Ibis	<i>Threskiornis molucca</i>	89%	1	Often several, up to thirty, many fly over
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	60%	1	Generally on short grass, small numbers unless a flock flies over; possibly less common in spring
Royal Spoonbill	<i>Platalea regia</i>	34%	1	Usually only one or two
Yellow-billed Spoonbill	<i>Platalea flavipes</i>	0%	1	31st May 2006, 1st June 2006 - probably the same single bird (MB, CS)
CICONIIDAE				
Black-necked Stork	<i>Ephippiorhynchus asiaticus</i>	6%	1	Irregular and easily disturbed

Annotated bird list, seen or heard, in or from, Oxley Creek Common. Hugh Possingham January 10th 2007 h.possingham@uq.edu.au (Draft)

(Species in italics have not yet been seen as far as I am aware, but are possible, Hugh Possingham 2007)

The % column is the frequency with which the species was recorded on a 100 minute by Hugh Possingham based on 35 visits - 2004-2006

The R column has a one for species that have been recorded

Comments reflect my own thoughts modified by comments from: DN - David Niland; MG - Mat and Cathy Gilfedder; MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; MB - Mike Bennett; PK - Pete Kyne

ACCIPITRIDAE

<i>Osprey</i>	<i>Pandion haliaetus</i>			<i>Likely to turn up at some stage</i>
Pacific Baza	<i>Aviceda subcristata</i>	3%	1	24th Oct 2004. Prefers more trees, more common in other parts of Brisbane but erratic
Black-shouldered Kite	<i>Elanus axillaris</i>	17%	1	One or two and sometimes a juvenile
<i>Black Kite</i>	<i>Milvus migrans</i>			
Whistling Kite	<i>Haliastur sphenurus</i>	0%	1	23/10/2004 one bird flying over (MB)
Brahminy Kite	<i>Haliastur indus</i>	0%	1	21st Jan 2006 (MG); 22nd Sept 2004 (MB)
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	20%	1	One or two birds regularly seen bringing a flying fox up Oxley Creek. Also hangs around swamps
<i>Spotted Harrier</i>	<i>Circus assimilis</i>			
Swamp Harrier	<i>Circus approximans</i>	3%	1	3rd July 2004, 25th Apr 2006, 28th Dec 2006 - surprisingly uncommon in SE QLD
Brown Goshawk	<i>Accipiter fasciatus</i>	14%	1	More often near creek
Grey Goshawk	<i>Accipiter novaehollandiae</i>	3%	1	1st Mar 2004, along creek
Collared Sparrowhawk	<i>Accipiter cirrhocephalus</i>	9%	1	
Wedge-tailed Eagle	<i>Aquila audax</i>	0%	1	19th April 2005 (MG)
Little Eagle	<i>Hieraaetus morphnoides</i>	0%	1	8th July 2006 (MG)

FALCONIDAE

Brown Falcon	<i>Falco berigora</i>	17%	1	Perched on fence posts and eucalypts in the grassland
Australian Hobby	<i>Falco longipennis</i>	11%	1	Often on power lines or near Jabiru Swamp
<i>Black Falcon</i>	<i>Falco subniger</i>			<i>Uncommon in the Lockyer Valley</i>
Peregrine Falcon	<i>Falco peregrinus</i>	0%	1	24th April 2005 (MG), 10th Oct 2006 (MG)
Nankeen Kestrel	<i>Falco cenchroides</i>	20%	1	Most often near big red shed, northern half of common

GRUIDAE

<i>Brolga</i>	<i>Grus rubicunda</i>			
---------------	-----------------------	--	--	--

RALLIDAE

Buff-banded Rail	<i>Gallirallus philippensis</i>	26%	1	Usually under mangroves or near dense cover, sometimes Pelican lagoon
<i>Lewin's Rail</i>	<i>Rallus pectoralis</i>			
<i>Bush-hen</i>	<i>Amaurornis olivaceus</i>			<i>Observed at Sherwood Arboretum, Tarcoola Track and other nearby locations</i>
Baillon's Crake	<i>Porzana pusilla</i>	3%	1	One or two birds regular on Pelican Lagoon spring 2006
<i>Australian Spotted Crake</i>	<i>Porzana fluminea</i>			
<i>Spotless Crake</i>	<i>Porzana tabuensis</i>			
Purple Swamphen	<i>Porphyrio porphyrio</i>	97%	1	Mainly Pelican lagoon
Dusky Moorhen	<i>Gallinula tenebrosa</i>	80%	1	Few on Pelican Lagoon, also along Oxley Creek under mangroves
Eurasian Coot	<i>Fulica atra</i>	54%	1	Up to fifteen on Pelican Lagoon. Disappears when salvinia covers all of Pelocan Lagoon

TURNICIDAE

Red-backed Button-quail	<i>Turnix maculosa</i>	0%	1	28-30 Dec 2006, drain near Pelican Lagoon (HP, MG)
<i>Little Button-quail</i>	<i>Turnix velox</i>			
<i>Red-chested Button-quail</i>	<i>Turnix pyrrhotorax</i>			

SCOLOPACIDAE

Latham's Snipe	<i>Gallinago hardwickii</i>	29%	1	Several birds, mainly around lagoons spring-autumn
<i>Little Curlew</i>	<i>Numenius minutus</i>			
Marsh Sandpiper	<i>Tringa stagnatilis</i>	3%	1	One bird on Jabiru Swamp from Oct 2006 to Dec 2006
<i>Common Greenshank</i>	<i>Tringa nebularia</i>			
<i>Wood Sandpiper</i>	<i>Tringa glareola</i>			
<i>Common Sandpiper</i>	<i>Actitis hypoleucos</i>			
<i>Red-necked Stint</i>	<i>Calidris ruficollis</i>			
<i>Pectoral Sandpiper</i>	<i>Calidris melanotos</i>			
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	3%	1	25th Mar 2005, and other dates, Jabiru Swamp
<i>Curlew Sandpiper</i>	<i>Calidris ferruginea</i>			

ROSTRATULIDAE

<i>Painted Snipe</i>	<i>Rostratula benghalensis</i>			
----------------------	--------------------------------	--	--	--

JACANIDAE

Comb-crested Jacana	<i>Irediparra gallinacea</i>	3%	1	One on 14th Feb 2004 (HP)
---------------------	------------------------------	----	---	---------------------------

Annotated bird list, seen or heard, in or from, Oxley Creek Common. Hugh Possingham January 10th 2007 h.possingham@uq.edu.au (Draft)

(Species in italics have not yet been seen as far as I am aware, but are possible, Hugh Possingham 2007)

The % column is the frequency with which the species was recorded on a 100 minute by Hugh Possingham based on 35 visits - 2004-2006

The R column has a one for species that have been recorded

Comments reflect my own thoughts modified by comments from: DN - David Niland; MG - Mat and Cathy Gilfedder; MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; MB - Mike Bennett; PK - Pete Kyne

BURHINIDAE

Bush Stone-curlew *Burhinus grallarius* 0% 1 Heard from the common but not seen on the common

RECURVIROSTRIDAE

Black-winged Stilt *Himantopus himantopus* 94% 1 Usually several on Jabiru Swamp, breeds, can be up to 20

Red-necked Avocet Recurvirostra novaehollandiae *Seen occasionally on coastal lagoons in Brisbane*

CHARADRIIDAE

Pacific Golden Plover *Pluvialis fulva* 3% 1 One bird on Jabiru Swamp from 23rd Oct 2004 - 30th Oct 2004 (HP, MB)

Double-banded Plover Charadrius bicinctus

Black-fronted Dotterel *Euseyonis melanops* 40% 1 Pelican Lagoon and Jabiru Swamp, up to four

Red-kneed Dotterel *Erythrogonys cinctus* 14% 1 May have bred at the back of Pelican Lagoon 2006, up to three birds

Banded Lapwing Vanellus tricolor

Masked Lapwing *Vanellus miles* 97% 1 A few pairs always present

LARIDAE

Silver Gull *Larus novaehollandiae* 0% 1 June 2005 (MR, DN)

Gull-billed Tern *Sterna nilotica* 3% 1 3rd July 2004 (HP)

Caspian Tern *Sterna caspia* 0% 1 13th July 2005 (MG)

Crested Tern Sterna bergii *not uncommon along Brisbane River especially during the winter*

Little Tern Sterna albifrons *unlikely, more coastal*

Whiskered Tern *Chlidonias hybridus* 3% 1 8th Jan 2006, 26th Dec 2006, 8th Jan 2006 (MB), 23rd Oct 2004 (8 birds, MB)

White-winged Black Tern Chlidonias leucopterus

COLUMBIDAE

Rock Dove *Columba livia* 57% 1 A few here and there and occasionally a large flock overhead

White-headed Pigeon *Columba leucomela* 3% 1 13th May 2006 (HP)

Spotted Turtle-Dove *Streptopelia chinensis* 91% 1 Mainly along creek

Brown Cuckoo-Dove Macropygia amboinensis

Emerald Dove *Chalcophaps indica* 0% 1 22nd Sept 2004 - one bird (MB)

Crested Pigeon *Ocyphaps lophotes* 77% 1

Peaceful Dove Geopelia striata

Bar-shouldered Dove *Geopelia humeralis* 97% 1 More common than Spotted Turtle-dove along creek, probably about 5-20

Wonga Pigeon Leucosarcia melanoleuca

Wompoo Fruit-Dove Ptilinopus magnificus

Rose-crowned Fruit-Dove Ptilinopus regina

Topknot Pigeon *Lopholaimus antarcticus* 0% 1 June 2005 (MR, DN)

CACATUIDAE

Red-tailed Black-Cockatoo *Calyptorhynchus banksii* 0% 1 A pair flying over on 9th Feb 2006 (DN)

Glossy Black-Cockatoo Calyptorhynchus lathamii

Yellow-tailed Black-Cockatoo Calyptorhynchus funereus

Galah *Cacatua roseicapilla* 51% 1 May be more common in second half of year?

Little Corella *Cacatua sanguinea* 17% 1 Usually just flying over

Long-billed Corella *Cacatua* 0% 1 26th June 2005 (MG); regular at Sherwood Arboretum

Sulphur-crested Cockatoo *Cacatua galerita* 69% 1 Some odd birds may be escapees

Cockatiel Nymphicus hollandicus

PSITTACIDAE

Rainbow Lorikeet *Trichoglossus haematodus* 100% 1 Mainly flying over

Scaly-breasted Lorikeet *Trichoglossus chlorolepidotus* 89% 1 Mainly flying over

Little Lorikeet *Glossopsitta pusilla* 0% 1 11th June 2005 (CH), 2nd Sept 2004 (MB), not uncommon at Sherwood Arboretum

Australian King-Parrot *Alisterus scapularis* 9% 1 Mainly heard or flying over - maybe more in winter

Crimson Rosella Platycercus elegans

Pale-headed Rosella *Platycercus adscitus* 63% 1 Mainly in pairs

Swift Parrot Lathamus discolor

Annotated bird list, seen or heard, in or from, Oxley Creek Common. Hugh Possingham January 10th 2007 h.possingham@uq.edu.au (Draft)

(Species in italics have not yet been seen as far as I am aware, but are possible, Hugh Possingham 2007)

The % column is the frequency with which the species was recorded on a 100 minute by Hugh Possingham based on 35 visits - 2004-2006

The R column has a one for species that have been recorded

Comments reflect my own thoughts modified by comments from: DN - David Niland; MG - Mat and Cathy Gilfedder; MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; MB - Mike Bennett; PK - Pete Kyne

<i>Red-rumped Parrot</i>	<i>Psephotus haematonotus</i>				
<i>Budgerigar</i>	<i>Melopsittacus undulatus</i>				
CUCULIDAE					
<i>Oriental Cuckoo</i>	<i>Cuculus saturatus</i>				
<i>Pallid Cuckoo</i>	<i>Cuculus pallidus</i>				
<i>Brush Cuckoo</i>	<i>Cacomantis variolosus</i>				
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	0%	1	15th July 2004 (DN), 2nd July 2006 - one bird (MB)	
Horsfield's Bronze-Cuckoo	<i>Chrysococcyx basalis</i>	6%	1	One bird about from mid Oct 2006 to mid Dec 2006	
Shining Bronze-Cuckoo	<i>Chrysococcyx lucidus</i>	6%	1	3rd July 2004, 13th Nov 2004, 18th April 2005	
<i>Little Bronze-Cuckoo</i>	<i>Chrysococcyx minutillus</i>				
Common Koel	<i>Eudynamys scolopacea</i>	37%	1	Not winter	
Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	29%	1	Not winter	
CENTROPODIDAE					
Pheasant Coucal	<i>Centropus phasianinus</i>	34%	1	More often heard than seen	
STRIGIDAE					
Southern Boobook	<i>Ninox novaeseelandiae</i>	0%	1	6th June 2006 (DN)	
TYTONIDAE					
<i>Barn Owl</i>	<i>Tyto alba</i>				<i>Probable Tyto owl 27th June 2005 - HP and MG</i>
<i>Grass Owl</i>	<i>Tyto capensis</i>				
PODARGIDAE					
Tawny Frogmouth	<i>Podargus strigoides</i>	0%	1	27th June 2005 (MG, HP)	
AEGOTHELIDAE					
<i>Australian Owllet-nightjar</i>	<i>Aegotheles cristatus</i>				
APODIDAE					
White-throated Needletail	<i>Hirundapus caudacutus</i>	17%	1	Not winter	
Fork-tailed Swift	<i>Apus pacificus</i>		1	Someone saw one 2004 or 2005, date unsure	
ALCEDINIDAE					
Azure Kingfisher	<i>Alcedo azurea</i>	3%	1	1st Jan 2005 along Oxley creek	
HALCYONIDAE					
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	80%	1	At least a couple of families	
Forest Kingfisher	<i>Todiramphus macleayi</i>	3%	1	A pair present some of winter 2005, 28th August 2005	
Sacred Kingfisher	<i>Todiramphus sanctus</i>	40%	1	Mainly summer, two or three pairs breed along Oxley Creek, also odd birds in winter	
Collared Kingfisher	<i>Todiramphus chloris</i>	0%	1	15th Oct 2006 at Canoe Pontoon (HP)	
MEROPIIDAE					
Rainbow Bee-eater	<i>Merops ornatus</i>	20%	1	Hard to pick a seasonal pattern	
CORACIIDAE					
Dollarbird	<i>Eurystomus orientalis</i>	11%	1	Late spring to autumn	
PITTIDAE					
<i>Noisy Pitta</i>	<i>Pitta versicolor</i>				<i>Could turn up in winter in dense vegetation</i>
CLIMACTERIDAE					
<i>White-throated Treecreeper</i>	<i>Cormobates leucophaeus</i>				
MALURIDAE					
Superb Fairy-wren	<i>Malurus cyaneus</i>	97%	1	Several families, e.g. near Red Shed and at Pelican Lagoon. Needs some cover	
Variiegated Fairy-wren	<i>Malurus lamberti</i>	49%	1	Dense vegetation along creek	
Red-backed Fairy-wren	<i>Malurus melanocephalus</i>	100%	1	Most abundant Fairy-wren, extends well into grassland	
PARDALOTIDAE					
<i>Spotted Pardalote</i>	<i>Pardalotus punctatus</i>				<i>May appear in winter - has occurred at Cliveden Reserve</i>
Striated Pardalote	<i>Pardalotus striatus</i>	43%	1	Odd birds in tall eucalypts	
White-browed Scrubwren	<i>Sericornis frontalis</i>	89%	1	Common along creek	
Mangrove Gerygone	<i>Gerygone levigaster</i>	69%	1	Most often heard along creek especially Areas 1, 4 and 5	

Annotated bird list, seen or heard, in or from, Oxley Creek Common. Hugh Possingham January 10th 2007 h.possingham@uq.edu.au (Draft)

(Species in italics have not yet been seen as far as I am aware, but are possible, Hugh Possingham 2007)

The % column is the frequency with which the species was recorded on a 100 minute by Hugh Possingham based on 35 visits - 2004-2006

The R column has a one for species that have been recorded

Comments reflect my own thoughts modified by comments from: DN - David Niland; MG - Mat and Cathy Gilfedder; MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; MB - Mike Bennett; PK - Pete Kyne

White-throated Gerygone	<i>Gerygone olivacea</i>	6%	1	23rd Apr 2006; 23rd June 2006, more common at Cliveden Reserve where regular winter visitor favouring eucalypts
Yellow-rumped Thornbill	<i>Acanthiza chrysorrhoa</i>	9%	1	Mainly between Second Dip and Pelican Lagoon - Areas 5 and 6. Never more than a pair
MELIPHAGIDAE				
Spiny-cheeked Honeyeater	<i>Acanthagenys rufogularis</i>	3%	1	2nd May 2005 and for a few weeks after that, two or three birds
Striped Honeyeater	<i>Plectrohyncha lanceolata</i>	60%	1	Probably just one family, usually heard rather than seen, likes large eucalypts in the paddocks; maybe more obvious in the winter
Noisy Friarbird	<i>Philemon corniculatus</i>	23%	1	Rare or absent in summer; migrates through in autumn
Little Friarbird	<i>Philemon citreogularis</i>	54%	1	Rarely more than a few
Blue-faced Honeyeater	<i>Entomyzon cyanotis</i>	60%	1	Often flying over or using scattered eucalypts
Noisy Miner	<i>Manorina melanocephala</i>	100%	1	Relatively uncommon, a party around the Secret Forest and a party across river in Nosworthy Park
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	74%	1	Along creeks in dense vegetation
Yellow-faced Honeyeater	<i>Lichenostomus chrysops</i>	9%	1	Erratic winter visitor, particularly 2005
<i>Mangrove Honeyeater</i>	<i>Lichenostomus fasciogularis</i>			
<i>White-throated Honeyeater</i>	<i>Melithreptus albogularis</i>			<i>Once nearby at Cliveden Reserve, common at Griffith uni</i>
<i>White-naped Honeyeater</i>	<i>Melithreptus lunatus</i>			<i>I would expect to see this turn up in the winter</i>
Brown Honeyeater	<i>Lichmera indistincta</i>	100%	1	Much more abundant in the winter
<i>Eastern Spinebill</i>	<i>Acanthorhynchus tenuirostris</i>			<i>One Nosworthy Park 2nd July 2006 (HP)</i>
Scarlet Honeyeater	<i>Myzomela sanguinolenta</i>	23%	1	Up to ten birds in winter in eucalypts and flowering mangroves, not summer
PETROICIDAE				
<i>Jacky Winter</i>	<i>Microeca fascinans</i>			
Rose Robin	<i>Petroica rosea</i>	0%	1	Rare probably consistent winter visitor, June-August
Eastern Yellow Robin	<i>Eopsaltria australis</i>	26%	1	One or two birds in Nosworthy Park that occasionally cross Oxley Creek
CINCLOSOMATIDAE				
Eastern Whipbird	<i>Psophodes olivaceus</i>	94%	1	Two or three pairs in dense vegetation along creek, rarely seen
NEOSITTIDAE				
<i>Varied Sittella</i>	<i>Daphoenositta chrysoptera</i>			
PACHYCEPHALIDAE				
Golden Whistler	<i>Pachycephala pectoralis</i>	31%	1	Not summer, several in winter along creek
Rufous Whistler	<i>Pachycephala rufiventris</i>	49%	1	Not summer?, but more autumn and spring than golden whistler
<i>Little Shrike-thrush</i>	<i>Colluricincla megarrhyncha</i>			<i>Has turned up at Indooroopilly once</i>
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	77%	1	A couple of pairs along creek, one often opposite Nosworthy park.
DICRURIDAE				
Black-faced Monarch	<i>Monarcha melanopsis</i>	0%	1	30th Oct 2004 (MB), rare spring-early summer visitor Tarcoola Track St Lucia
<i>Spectacled Monarch</i>	<i>Monarcha trivirgatus</i>			<i>Should turn up, Nosworthy Park at least once, uncommon spring visitor at Tarcoola Track St Lucia</i>
<i>White-eared Monarch</i>	<i>Monarcha leucotis</i>			
Leaden Flycatcher	<i>Myiagra rubecula</i>	3%	1	Most likely on migration, autumn and spring
<i>Satin Flycatcher</i>	<i>Myiagra cyanoleuca</i>			
Restless Flycatcher	<i>Myiagra inquieta</i>	9%	1	One bird present winter of 2005 west of Pelican lagoon most of the time
Magpie-lark	<i>Grallina cyanoleuca</i>	100%	1	Several pairs/families
<i>Rufous Fantail</i>	<i>Rhipidura rufifrons</i>			<i>Expected on passage or winter, seen in Nosworthy Park more than once</i>
Grey Fantail	<i>Rhipidura fuliginosa</i>	46%	1	Common from autumn to spring, not summer so far, but a few birds do spend summer in Brisbane
Willie Wagtail	<i>Rhipidura leucophrys</i>	100%	1	Several pairs
Spangled Drongo	<i>Dicrurus bracteatus</i>	80%	1	Regular along creek, not present or rare Oct-Dec
CAMPEPHAGIDAE				
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	94%	1	
<i>Barred Cuckoo-shrike</i>	<i>Coracina lineata</i>			<i>Has been at Sherwood arboretum atleast three times</i>
White-bellied Cuckoo-shrike	<i>Coracina papuensis</i>	0%	1	24th May 2005 (MG); three birds near Red Shed
Cicadabird	<i>Coracina tenuirostris</i>	0%	1	Water Gauge on 23rd Oct 2004 (MB, PK) - Nosworthy Park in 2004 (HP),

Annotated bird list, seen or heard, in or from, Oxley Creek Common. Hugh Possingham January 10th 2007 h.possingham@uq.edu.au (Draft)

(Species in italics have not yet been seen as far as I am aware, but are possible, Hugh Possingham 2007)

The % column is the frequency with which the species was recorded on a 100 minute by Hugh Possingham based on 35 visits - 2004-2006

The R column has a one for species that have been recorded

Comments reflect my own thoughts modified by comments from: DN - David Niland; MG - Mat and Cathy Gilfedder; MR - Mark Roberts; CS - Chris Sanderson; CH - Conrad Hoskin; MB - Mike Bennett; PK - Pete Kyne

White-winged Triller	<i>Lalage sueurii</i>	0%	1	14th Oct 2004, 11th April 2006, 21st June 2005, 26th June 2005; odd birds in the Corinda-St Lucia area usually from Sept to Nov
Varied Triller	<i>Lalage leucomela</i>	9%	1	Sept (1), Nov (3), Dec (2) - maybe present in other months but hard to find if not calling
ORIOLIDAE				
Olive-backed Oriole	<i>Oriolus sagittatus</i>	66%	1	Probably all year, but appears more common in summer when calling
Figbird	<i>Sphecotheres viridis</i>	97%	1	Can be many - i.e. 30-40
ARTAMIDAE				
White-breasted Woodswallow	<i>Artamus leucorhynchus</i>	40%	1	Maybe more common in 2006, along creek or at Pelican Lagoon
Grey Butcherbird	<i>Cracticus torquatus</i>	97%	1	Hoop pines of Secret Forest a good spot, usually heard
Pied Butcherbird	<i>Cracticus nigrogularis</i>	97%	1	Usually seen in hoop pines of Secret Forest, or opposite Nosworthy Park
Australian Magpie	<i>Gymnorhina tibicen</i>	100%	1	
Pied Currawong	<i>Strepera graculina</i>	20%	1	Prefers more wooded areas
CORVIDAE				
Torresian Crow	<i>Corvus orru</i>	100%	1	Ranging from 15-50, maybe more in winter
PTILONORHYNCHIDAE				
<i>Regent Bowerbird</i>	<i>Sericulus chrysocephalus</i>			<i>Records for Tarcoola Track St Lucia and Cliveden Reserve</i>
ALAUDIDAE				
<i>Singing Bushlark</i>	<i>Mirafra javanica</i>			
MOTACILLIDAE				
Richard's Pipit	<i>Anthus novaeseelandiae</i>	91%	1	Around Red Shed and along mown paths, depends on shortish grass
PASSERIDAE				
<i>House Sparrow</i>	<i>Passer domesticus</i>			<i>One family always present just across Oxley Creek on Sherwood Road</i>
<i>Zebra Finch</i>	<i>Taeniopygia guttata</i>			
Double-barred Finch	<i>Taeniopygia bichenovii</i>	91%	1	Most regular finch, breeds
Plum-headed Finch	<i>Neochmia modesta</i>	14%	1	From 2-14 birds, sometimes with juveniles and may breed
<i>Red-browed Finch</i>	<i>Neochmia temporalis</i>			<i>Possible along creek, has occurred at Tarcoola Track St Lucia</i>
<i>Nutmeg Mannikin</i>	<i>Lonchura punctulata</i>			<i>Habitat looks ideal, apparently in decline in Brisbane</i>
Chestnut-breasted Mannikin	<i>Lonchura castaneothorax</i>	46%	1	In taller grass and reeds, juveniles 2006 and carrying nesting material
FRINGILLIDAE				
<i>European Goldfinch</i>	<i>Carduelis carduelis</i>			<i>Very rare in brisbane, but OCC has good habitat with lots of thistles</i>
DICAEIDAE				
Mistletoebird	<i>Dicaeum hirundinaceum</i>	94%	1	Much more abundant in the winter, but present all year
HIRUNDINIDAE				
Welcome Swallow	<i>Hirundo neoxena</i>	80%	1	Especially around lagoons
Tree Martin	<i>Hirundo nigricans</i>	69%	1	More on the creek side of the common and over suburbs
Fairy Martin	<i>Hirundo ariel</i>	37%	1	Especially over water, maybe less common or missing in winter/autumn?
SYLVIIDAE				
Clamorous Reed-Warbler	<i>Acrocephalus stentoreus</i>	66%	1	Regular at the Second Dip and several in the inaccessible third lagoon
Tawny Grassbird	<i>Megalurus timoriensis</i>	91%	1	Abundant but harder to find (less common?) in winter
<i>Little Grassbird</i>	<i>Megalurus gramineus</i>			<i>Odd birds at sherwood arboretum</i>
<i>Rufous Songlark</i>	<i>Cincloramphus mathewsi</i>			
Brown Songlark	<i>Cincloramphus cruralis</i>	0%	1	One bird winter 2006 (CS, MG etc)
Golden-headed Cisticola	<i>Cisticola exilis</i>	100%	1	Abundant but harder to find (less common) in winter
ZOSTEROPIDAE				
Silvereye	<i>Zosterops lateralis</i>	100%	1	Abundant, especially along creek
MUSCICAPIDAE				
<i>Russet-tailed Thrush</i>	<i>Zoothera heinei</i>			
STURNIDAE				
Common Starling	<i>Sturnus vulgaris</i>	34%	1	More often across river near railway line
Common Myna	<i>Acridotheres tristis</i>	77%	1	Increasing from a few to about ten from 2004-2006 (HP, MB)
Total			161	
Expected number of species seen in 100 minutes		61.5		